WEST

Generate Collection

Print

Search Results - Record(s) 1 through 1 of 1 returned.

1. Document ID: DE 4102907 A, EP 569368 A1, WO 9213824 A1

L2: Entry 1 of 1

File: DWPI

Aug 6, 1992

DERWENT-ACC-NO: 1992-269752

DERWENT-WEEK: 199233

COPYRIGHT 2002 DERWENT INFORMATION LTD

TITLE: New bis-(2,5-di:aminophenoxy)-oxa:alkane cpds. - useful as developer in oxidn. hair dye giving uniform colour

INVENTOR: HOEFFKES, H; ROSE, D ; LIESKE, E

PRIORITY-DATA: 1991DE-4102907 (January 31, 1991)

PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
DE 4102907 A	August 6, 1992		006	C07C217/84
EP 569368 A1	November 18, 1993	G	000	C07C217/84
WO 9213824 A1	August 20, 1992	G	013	C07C217/84

INT-CL (IPC): A61K 7/13; C07C 217/84

ABSTRACTED-PUB-NO: DE 4102907A

BASIC-ABSTRACT:

New bis-(2,5-diaminophenoxy)-oxalkanes of formula (I) are claimed. n = 2 or 3; x = 1-3.

A hair dye contains (I) or a water-soluble salt, a carrier; and a coupler for oxidn. hair dyes, esp. resorcinol, naphthol, aminophenol or hydroxypyridine. A hair dye compsn. contains as carrier an aq. gel with 1-20 wt.% of a soap or an oil-in-water emulsion with 1-25% of a fatty component and 0.5-30% of a surface-active emulsifier, and 0.05-10 mmols of (I) w.r.t. 100g of compsn.

USE/ADVANTAGE - Use of (I) or water-soluble salts as developer to give oxidn. dyeings is claimed. The oxidn. dyes bond well to hair and other keratin fibres, give uniform colour on damaged hair, and resist repeated shampooing.

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments
Draw, D									

KWIC

Generate Collection

Print

Terms	Documents
wo-9213824-\$.did.	1

$$\begin{array}{c|c}
 & \circ & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & &$$

AB Alloxan and isobarbituric acid derivs. I (R1, R2 = H, C1-4 alkyl, C2-4 hydroxyalkyl, C2-4 acyl, Ph, PhCH2; A = CH2, C:O) are useful for dyeing keratin fibers, esp. human hair. I confer yellow nuances when used alone,

or can be combined with amines, amino acids, peptides, or N-contg. heterocycles to provide brilliant yellow, red, or violet colors which are fast towards light, washing, and friction. Thus, a suspension contg. alloxan 1, 1,3-bis(2,4-diaminophenoxy)propane-4HCl 1, and NaOAc 1 mmol in 100 mL water was heated to boiling, cooled, filtered, and adjusted to pH 6. The resulting soln. conferred a brown color on gray hair.

```
L2 ANSWER 23 OF 23 CAPLUS COPYRIGHT 2002 ACS
```

AN 1995:248743 CAPLUS

DN 122:38518

TI Isatin-containing compositions as hair dyes

IN Moeller, Hinrich; Hoeffkes, Horst

PA Henkel KGaA, Germany

SO Ger. Offen., 13 pp. CODEN: GWXXBX

DT Patent

LA German

FAN.CNT 1

	PATENT NO.	KIND DATE	APPLICATION NO.	DATE
PI	DE 4314317 WO 9424988 W: JP, US	A1 19941103 A1 19941110		19930430 19940421
	RW: AT, BE, EP 695162 EP 695162	A1 19960207 B1 19970618	FR, GB, GR, IE, IT, LU, EP 1994-915084	MC, NL, PT, SE 19940421
PRAI	R: AT, BE, JP 08509478 AT 154509 ES 2105707 US 5616150 DE 1993-4314317	CH, DE, DK, ES, T2 19961008 E 19970715 T3 19971016 A 19970401 19930430	AT 1994-915084 ES 1994-915084	NL, PT, SE 19940421 19940421 19940421 19951030
0.0	WO 1994-EP1246	19940421		

os MARPAT 122:38518 62-53-3D, Aniline, derivs. 65-49-6, 4-Aminosalicylic acid 72-17-3, 77-86-1 78-90-0, 1,2-Diaminopropane Sodium lactate 78-91-1, 87-51-4, 1H-Indole-3-acetic acid, biological studies 2-Aminopropanol 88-21-1, 2-Aminobenzenesulfonic acid 89-57-6, 5-Aminosalicylic acid 91-56-5D, Isatin, derivs. 91-56-5, Isatin 91-95-2, 3,3',4,4'-Tetraaminodiphenyl 96-54-8, 1-Methylpyrrole 99-05-8, 3-Aminobenzoic acid 99-31-0, 5-Aminoisophthalic acid 101-77-9, 4,4'-Diaminodiphenylmethane 103-76-4, 1-(2-Hydroxyethyl)piperazine 103-82-2, 2-Phenylacetic acid, biological studies 107-15-3, 1,2-Ethanediamine, biological studies 109-76-2, 1,3-Diaminopropane 109-96-6, 3-Pyrroline 109-97-7, Pyrrole 110-00-9, Furan Thiophene 110-76-9, 2-Ethoxyethylamine 110-85-0, Piperazine, biological studies 110-89-4, Piperidine, biological studies 111-40-0 111-41-1, 2-(2-Aminoethylamino)ethanol 115-69-5,

2-Amino-2-methylpropane-

1,3-diol 116-63-2, 4-Amino-3-hydroxynaphthalene-1-sulfonic acid 118-92-3, 2-Aminobenzoic acid 119-59-5, 4,4'-Diaminodiphenyl sulfoxide

(FILE 'HOME' ENTERED AT 09:01:47 ON 02 APR 2002)

FILE 'CAPLUS' ENTERED AT 09:02:20 ON 02 APR 2002 S 159661-45-7/REG#

FILE 'REGISTRY' ENTERED AT 09:02:43 ON 02 APR 2002 L1 1 S 159661-45-7/RN

FILE 'CAPLUS' ENTERED AT 09:02:43 ON 02 APR 2002

L2 23 S L1

L3 23 S L1 AND DYE?

FILE 'STNGUIDE' ENTERED AT 09:05:47 ON 02 APR 2002